mauri, 151, 152, 153, 156, 157, 160, 161
minuta, 36
minutilla, 149, 151, 152, 153, 154, 155, 156, 157
pusilla, 108
ruficollis, 14, 35–36
Callipepla douglasii, 64
Calonectris leucomelas, 34
Calothorax lucifer, 59
Calypte anna, 73, 91, 101, 110, 127, 131–133
costae, 110, 132
Campylorhynchus brunneicapillus, 112
Caprimulgus ridgwayi, 65
vociferus, 65, 110
Caracara, Crested, 44
Caracara cheriway, 44
Cardellina rubrifrons, 33
Cardinalis sinuatus, 41–42
Carduelis sinica, 44
Carpodacus mexicanus, 74
purpureus, 68
Catbird, Gray, 14, 15, 29–30, 31
Catharus fuscescens, 14, 29, 38, 66
guttatus, 113
minimus, 29, 30
ustulatus, 71, 73
Catoptrophorus semipalmatus, 150, 152, 153, 154, 155, 157, 161
Centrocercus urophasianus, 64
Cervantes-Sanchez, Juan, and Eric Mellink, Nesting of Brandt's Cormorants in the northern Gulf of California, 134–135
Charadrius alexandrinus, 150, 152, 154, 161
mongolus, 14, 19
semipalmatus, 149, 150, 152, 153, 154, 155, 157
vociferus, 150, 152, 153, 154, 157
wilsonia, 14, 19, 21
Chen rossii, 53, 101, 103, 105
Chlidonias niger, 189–217
Clangula hyemalis, 106
Coccyzus americanus, 109
erythropthalmus, 50, 59, 65
Cogswell, Howard L., Book review: The California Condor, 173–141
Colaptes auratus, 71, 73, 74–79
Colinus virginianus, 13
Columbina inca, 109
minuta, 26, 36
passerina, 109
talpacoti, 26, 36
Colwell, Mark A., Tamar Danufsky, Ryan L. Mathis, and Stanley W. Harris, Historical changes in the abundance and distribution of the American Avocet at the northern limit of its winter range, 1–12
Condor, California, 137–140
Contopus pertinax, 26, 36–37, 38
sordidulus, 26
virens, 14, 26–27, 37, 50, 59
Cormorant, Brandt's, 72, 134–135, 177–178
Double-crested, 101, 104, 134, 177
Neotropic, 14, 18
Pelagic, 177
Coturnicops noveboracensis, 19, 35
Cowbird, Brown-headed, 168, 175
Crossbill, Red, 116
Crotophaga sulcirostris, 26, 59, 65, 109
Cuckoo, Black-billed, 50, 59, 65
Yellow-billed, 109
Curlew, Bristle-thighed, 13, 21, 35
Long-billed, 150
Cyanocitta cristata, 60, 103, 112
Cygnus buccinator, 18, 35, 44, 103, 105
cygnus, 14, 18
Cynanthus latirostris, 26
Cypseloides niger, 50, 218–227

Danufsky, Tamar, see Colwell, M. A.
Dendroica castanea, 39, 62
discolor, 50, 57, 62, 103, 114
dominica, 32, 62
fusca, 61, 67
graciae, 32
magnolia, 61
pinus, 32, 39, 62
striata, 39, 62
tigrina, 61
virens, 61, 67
DeStefano, Stephen, see Hinojosa-H., O.
Dickson, Lara L., see LaRue, C. T.
Dolichonyx oryzivorus, 103, 116
Dove, Common Ground, 109
Inca, 109
Mourning, 72
Plain-breasted Ground, 26
Ruddy Ground, 26, 36
White-winged, 101, 103, 108–109

INDEX

Dowitcher sp., 151, 152, 153, 156, 157, 160
Duck, American Black, 35
  Falcated, 13, 35, 44
  Long-tailed, 106
  Wood, 105
Dumetella carolinensis, 14, 15, 29–30, 31
Dumroese, R. Kasten, Mark R. Mousseaux, Shirley Horning Sturts, Daniel A. Stephens, and Paul A. Holick, Idaho Black Swifts: Nesting habitat and a spatial analysis of records, 218–227
Dunlin, 148, 149, 151, 152, 153, 154, 155, 156, 157, 160, 161
Dunn, Jon L., and Kimball L. Garrett, Featured photo: Parapatry in Woodhouse's and California Scrub-Jays revisited, 186–187
Dunnock, 91

Eagle, Bald, 136
Earnheart-Gold, Sasha, and Peter Pyle, Occurrence patterns of Peregrine Falcons on Southeast Farallon Island, California, by subspecies, age, and sex, 119–126
Eider, King, 18, 35
Egret, Cattle, 101, 104
  Reddish, 18, 52
Egretta rufescens, 18, 52
  tricolor, 18
Elanoides forficatus, 50
Empidonax alnorum, 37, 39, 43, 171
  difficilis, 27
  flaviventris, 27, 65
  hammondii, 111
  minimus, 59, 65
  oberholseri, 111, 171
  occidentalis, 171
  traillii, 37, 39, 43, 110, 167–172, 174
  virescens, 27
  wrightii, 111
Erickson, Richard A., and Hamilton, Robert A., Report of the California Bird Records Committee: 1998 records, 13–49
Escalante-Pliego, Patricia, see Sweet, P. R.
Eudocimus albus, 44, 52, 64
Eugenes fulgens, 59
Euphagus carolinus, 63
  cyanocephalus, 41
Euplectes franciscanus, 81–82
Euptilotis neoxenus, 59, 65
Euthlypis lachrymosa, 50, 62

Falco femoralis, 64
  peregrinus, 107, 119–126
  rusticolus, 14, 19
  sparverius, 72
Falcon, Aplomado, 64
  Peregrine, 107, 119–126
Finch, House, 74
  Purple, 68
Finlay, J. Cam, see Scarfe, A.
Flicker, Northern, 71, 73, 74–79
Flycatcher, Acadian, 27
  Alder, 37, 39, 43, 171
  Brown-crested, 27, 101, 111
  Cordilleran, 171
  Dusky, 111, 171
  Dusky-capped, 14, 27
  Fork-tailed, 67
  Gray, 111
  Gray Silky, 13–14, 44, 67
  Great Crested, 27, 65
  Hammond's, 111
  Least, 59, 65
  Nutting's, 50, 55, 59–60, 65
  Scissor-tailed, 103, 111
  Streaked, 28
  Sulphur-bellied, 14, 28
  Vermilion, 111
  Western, 27
  Willow, 37, 39, 43, 110, 167–172, 174
  Yellow-bellied, 27, 65

Gallinago gallinago, 151
Gallinula chloropus, 107
Gallinule, Purple, 68
Gardali, Thomas, and Alvaro Jaramillo, Further evidence for a population decline in the Western Warbling Vireo, 173–176
Garganey, 18
Garrett, Kimball L., Featured photo: An unusual plumage variant of the Heermann's Gull, 237; see also Dunn, J. L.
Gatz, Thomas A., Orange Bishops breeding in Phoenix, Arizona, 81–82
Gavia adamsii, 16
  immer, 103–104
  pacifica, 104
  stellata, 51, 63

Geothlypis trichas, 40, 114
Gnatcatcher, Black-capped, 50, 51, 56, 60, 66
  Black-tailed, 60, 66
  Blue-gray, 113
Godwit, Bar-tailed, 22
  Marbled, 145, 151, 152, 153, 155, 157, 159
Goldeneye, Barrow's, 106
  Common, 101, 106
Golden-Plover, American, 55–56, 64, 68, 150, 179
  European, 179–181
  Pacific, 50, 53, 56, 150, 152, 154, 179, 180
Golet, Gregory H., Book review: The Riparian Bird Conservation Plan, 184–185
Goose, Barnacle, 13, 41
  Greater White-fronted, 103, 105
  Lesser White-fronted, 13, 35
  Ross', 53, 101, 103, 105
Grackle, Common, 14, 34, 41, 63, 68, 101, 103, 116
  Great-tailed, 41, 141–143
Grebe, Horned, 104
  Least, 34, 51, 63
Greenfinch, Oriental, 44
Grosbeak, Pine, 68
Ground-Dove, Common, 109
  Plain-breasted, 26, 36
  Ruddy, 26, 36
Grouse, Sage, 64
Gull, Black-headed, 22
  Glaucous, 58
  Glaucous-winged, 177
  Heermann's, 237
  Iceland, 13, 15, 22–24, 36
  Laughing, 58
  Lesser Black-backed, 14, 23, 24–25
  Little, 22
  Mew, 58
  Ross', 13, 36
  Slaty-backed, 13
  Thayer's, 23
  Western, 65, 72, 177
  Yellow-footed, 50, 54, 58, 64–65
Gutiérrez, R. J., see Zimmerman, G. S.
Gymnogyps californianus, 137–140
Gyrfalcon, 14, 19

Haematopus palliatus, 21
Haliaeetus leucocephalus, 136
Hamilton, Robert A., Book review: The Sibley Guide to Birds, 95–96; see also Erickson, R. A.
Harris, Stanley W., see Colwell, M. A.
Hawk, Broad-winged, 55, 64, 68
  Common Black, 107
  Gray, 55
  Harris', 13, 15, 19, 21
  Red-shouldered, 53, 55, 64, 68, 107
  Sharp-shinned, 101, 107
  Short-tailed, 50, 55
  White-tailed, 64
  Zone-tailed, 19, 35, 107
Heliomaster constantii, 59
Helmitheros vermivorus, 33, 39–40, 67
Heron, Black-crowned Night, 89
  Chinese Pond, 89
  Gray, 88–90
  Great Blue, 88, 89, 104
  Tricolored, 18
  Yellow-crowned Night, 18, 64
Heteroscelus brevipes, 35
  incanus, 50, 56
Hinojosa-Huerta, Osvel, William W. Shaw, and Stephen DeStefano, Detections of California Black Rails in the Colorado River delta, Mexico, 228–232
Holick, Paul A., see Dumroese, R. K.
Howell, Steve N. G., Book review: Birds of North America, 93–94; Featured photo: Field identification of female Allen's and Rufous Hummingbirds, 97–98; Book review: United States Shorebird Conservation Plan, 182–183; Book review: Birds of North America, Western Region, 233; Book review: Bird Songs of Southeastern Arizona and Sonora, Mexico, 235–236
Hummingbird, Allen's, 91–92, 97–98, 132
  Anna's, 73, 91, 101, 110, 127, 131–133
  Berylline, 59, 65
  Black-chinned, 26, 127, 132
  Broad-billed, 26
  Broad-tailed, 132
  Calliope, 127–130
  Costa's, 110, 132
  Lucifer, 59
  Magnificent, 59

Ruby-throated, 14, 26, 36, 132
Rufous, 91, 97–98, 132
Humphrey, Joan M., see Shuford, W. D.
Hylocichla mustelina, 29, 61, 66

Ibis, Glossy, 13
Sacred, 64
White, 44, 52, 64
Icterus bullockii, 63
cucullatus, 71, 74
galbula, 63, 68
pustulatus, 63, 103, 116
spurius, 63, 68
Ictinia mississippiensis, 19
Ixobrychus exilis, 103, 104

Jaçana, Northern, 54, 56
Jacana spinosa, 54, 56
Jaeger, Parasitic, 56, 58
Pomarine, 50, 56
Jaramillo, Alvaro, see Gardali, T.
Jay, Blue, 60, 103, 112
Florida Scrub, 186
Island Scrub, 186
Western Scrub, 186–187
Junco, Dark-eyed, 40
Guadalupe, 73–74
Junco hyemalis, 40
insularis, 73–74

Kelly, John P., Distribution and abundance of winter shorebirds on Tomales Bay, California: Implications for conservation, 145–166
Kestrel, American, 72
Killdeer, 150, 152, 153, 154, 157
Kingbird, Eastern, 111
Thick-billed, 28
Kiskadee, Great, 66
Kite, Mississippi, 19
Swallow-tailed, 50
Kittiwake, Black-legged, 59
Klicka, John T., see Sweet, P. R.
Knot, Red, 151, 152, 155
Koronkiewicz, Thomas J., see Sogge, M. K.

LaHaye, William S., see Zimmerman, G. S.
Langridge, Suzanne M., see Sogge, M. K.
Lanius excubitor, 111–112
LaRue, Charles T., Lara L. Dickson, Nikolle L. Brown, John R. Spence, and Lawrence E. Stevens, Recent bird records from the Grand Canyon region, 1974–2000, 101–118
Larus atricilla, 58
canus, 58
fuscus, 14, 23, 24–25
glaucescens, 177
glaucoides, 13, 15, 22–24, 36
heermanni, 237
hyperboreus, 58
livens, 50, 54, 58, 64–65
minutus, 22
occidentalis, 65, 72, 177
ridibundus, 22
schistisagus, 13
thayeri, 23
Laterallus jamaicensis, 228–232
Leonard, Janet L., Cloacal inspection of pecking in Allen's Hummingbird, 91–92
Limnodromus sp., 151, 152, 153, 156, 157, 160
Limosa fedoa, 145, 151, 152, 153, 155, 157, 159
lapponica, 22
Longspur, Lapland, 63, 68
Smith's, 40
Loon, Common, 103–104
Pacific, 104
Red-throated, 51, 63
Yellow-billed, 16
Lophodytes cucullatus, 106
Loxia curvirostra, 116
Lymnocryptes minimus, 36

Mallard, 105
Mathis, Ryan L., see Colwell, M. A.
Meadowlark, Western, 71, 74
Melanerpes erythrocephalus, 59
Melanitta fusca, 53, 106
nigra, 53
perspicillata, 105–106
Melanotis caerulescens, 66–67
Mellink, Eric, see Cervantes-Sanchez, J.
Melospiza georgiana, 115
lincolnii, 115
Merganser, Hooded, 106
Red-breasted, 107
Mergus serrator, 107
Mimus polyglottos, 73, 113
Mockingbird, Blue, 66–67
Northern, 73, 113
Molothrus ater, 168, 175

Montañez-Godoy, Liliana, see Sweet, P. R.
Moorhen, Common, 107
Motacilla alba, 15, 30–32
  lugens, 15, 30–32
Mousseaux, Mark R., see Dumroese, R. K.
Murrelet, Long-billed, 14, 26
Myiarchus crinitus, 27, 65
  nuttingi, 50, 55, 59–60, 65
  tuberculifer, 14, 27
  tyrannulus, 27, 101, 111
Myioborus miniatus, 67
  pictus, 67, 114
Myiodynastes luteiventris, 14, 28
  maculatus, 28

Night-Heron, Black-crowned, 89
  Yellow-crowned, 18, 64
Nightjar, Buff-collared, 65
Numenius americanus, 150
  phaeopus, 150
  tahitiensis, 13, 21, 35
Nur, Nadav, see Shuford, W. D.
Nyctanassa violacea, 18, 64
Nycticorax nycticorax, 89

Oceanodroma leucorhoa, 50, 52, 64
  melania, 50, 52, 64
  microsoma, 50, 52
  tethys, 44
Oporornis agilis, 40
  formosus, 62, 67
  philadelphia, 33, 40, 62, 67
Oreoscoptes montanus, 113
Oriole, Baltimore, 63, 68
  Bullock's, 63
  Hooded, 71, 74
  Orchard, 63, 68
  Streak-backed, 63, 103, 116
Osprey, 107, 136
Otus flammeolus, 109–110
Owen, Jennifer C., see Sogge, M. K.
Owl, Barn, 71, 72–73
  Burrowing, 73
  Flammulated, 109–110
  Great Horned, 72–73
  Long-eared, 110
  Northern Saw-whet, 110
  Spotted, 83–87
Oystercatcher, American, 21

Pandion haliaetus, 107, 136
Parabuteo unicinctus, 13, 15, 19, 21
Parula, Northern, 103, 114
Parula americana, 103, 114
Passerella iliaca, 115
Passerina ciris, 14, 34, 41, 42–44
  versicolor, 40
Paxton, Eben H., see Sogge, M. K.
Pelecanus erythrorhynchos, 104
  occidentalis, 104
Pelican, American White, 104
  Brown, 104
Petrel, Black Storm, 50, 52, 64
  Bulwer's, 13, 16
  Jouanin's, 16
  Leach's Storm, 50, 52, 64
  Least Storm, 50, 52
  Wedge-rumped Storm, 44
Pewee, Eastern Wood, 14, 26–27, 37, 50, 59
  Greater, 26, 37, 38
  Western Wood, 26–27
Phaethon rubricauda, 34
Phalacrocorax auritus, 101, 104, 134, 177
  brasilianus, 14, 18
  pelagicus, 177
  penicillatus, 72, 134–135, 177–178
Phalaenoptilus nuttallii, 110
Phalarope, Red, 151
  Red-necked, 151
Phalaropus fulicaria, 151
  lobatus, 151
Phoebastria albatrus, 14, 16
  immutabilis, 72
Phoebe, Black, 101, 111
  Eastern, 103, 111
Pinicola enucleator, 68
Pipit, Olive-backed, 13, 32
  Red-throated, 67
  Sprague's, 32
Piranga bidentata, 63
  erythrocephala, 67–68
  ludoviciana, 63
  olivacea, 33, 40, 62–63, 67
  rubra, 101, 114–115
Pitangus sulphuratus, 66
Plectrophenax hyperboreus, 13, 40
  nivalis, 34
Plegadis falcinellus, 13
Plover, American Golden, 55–56, 64, 68, 150, 179
  Black-bellied, 150, 152, 153, 154, 155, 157
  European Golden, 179–181
  Mongolian, 14, 19
  Pacific Golden, 50, 53, 56, 150, 152, 154, 179, 1890

Semipalmated, 149, 150, 152, 153, 154, 155, 157
Snowy, 150, 152, 154, 161
Wilson's, 14, 19, 21
Pluvialis dominica, 55–56, 64, 68, 150
fulva, 50, 53, 56, 150, 152, 154
squatarola, 150, 152, 153, 154, 155, 157
Pochard, Common, 14, 18, 20
Podiceps auritus, 104
Polioptila caerulea, 113
melanura, 60, 66
nigriceps, 50, 51, 56, 60, 66
Pond-Heron, Chinese, 89
Pooecetes gramineus, 40
Poorwill, Common, 110
Porphyrula martinica, 68
Porzana carolina, 107
Protonotaria citrea, 103, 114
Prunella modularis, 91
Ptilogonys cinereus, 13–14, 44, 67
Puffinus pacificus, 14, 16–17
puffinus, 17, 34
Pyle, Peter, Book review: Isles of Refuge, 234; see also Earnheart-Gold, S.
Pyrocephalus rubinus, 111
Pyrrhuloxia, 41–42

Quail, Elegant, 64
Quiscalus mexicanus, 41, 141–143
quiscula, 14, 34, 63, 68, 101, 103, 116

Rail, Black, 228–232
Clapper, 228, 231
Virginia, 107
Yellow, 19, 35
Rallus limicola, 107
longirostris, 228, 231
Recurvirostra americana, 1–12, 150
Redstart, American, 114
Painted, 67, 114
Slate-throated, 67
Rhodostethia rosea, 13, 36
Rissa tridactyla, 59
Robin, Rufous-backed, 61, 66
Rosenberg, Gary H., Arizona Bird Committee report: 1996–1999 records, 50–70

Salpinctes obsoletus, 73
Sanderling, 103, 108, 145, 151, 152, 153, 155, 157, 159
Sandpiper, Least, 149, 151, 152, 153, 154, 155, 156, 157
Semipalmated, 108
Solitary, 108
Spotted, 108, 150, 152, 155
Upland, 56
Western, 151, 152, 153, 156, 157, 160, 161
White-rumped, 36
San Miguel, Mike, President's message, 238
Sapsucker, Yellow-bellied, 103, 110
Sayornis nigricans, 101, 111
phoebe, 103, 111
Scarfe, Ann, and J. Cam Finlay, Rapid second nesting by Anna's Hummingbird near its northern breeding limits, 131–133
Scaup, Greater, 105
Scolopax minor, 13, 22
Scoter, Black, 53
Surf, 105–106
White-winged, 53, 106
Scrub-Jay, Florida, 186
Island, 186
Western, 186–187
Seiurus motacilla, 62
Selasphorus platycercus, 132
rufus, 91, 97–98, 132
sasin, 91–92, 97–98, 132
Setophaga ruticilla, 114
Shaw, William W., see Hinojosa-H., O.
Shearwater, Manx, 17, 34
Streaked, 34
Wedge-tailed, 14, 16–17
Shrike, Northern, 111–112
Shuford, W. David, Joan M. Humphrey, and Nadav Nur, Breeding status of the Black Tern in California, 189–217
Sialia sialis, 13
Silky-flycatcher, Gray 13–14, 44, 67
Smith, Sean D., see Burton, K. M.
Snipe, Common, 151
Jack, 36
Sogge, Mark K., Jennifer C. Owen, Eben H. Paxton, Suzanne M. Langridge, and Thomas J. Koronkiewicz, A targeted mist net capture technique for the Willow Flycatcher, 167–172
Somateria spectabilis, 18, 35
Sora, 107
Sparrow, American Tree, 68

Black-throated, 115
Brewer's, 115
Cassin's, 33
Chipping, 115
Clay-colored, 115
Field, 14, 33, 50, 63, 68
Fox, 115
Golden-crowned, 116
Grasshopper, 115
Lincoln's, 115
Swamp, 115
Vesper, 40
White-throated, 115–116
Spence, John R., see LaRue, C. T.
Sphyrapicus varius, 103, 110
Spizella arborea, 68
breweri, 115
pallida, 115
passerina, 115
pusilla, 14, 33, 50, 63, 68
Spoonbill, Roseate, 53
Starling, European, 71, 73, 113–114
Starthroat, Plain-capped, 59
Stelgidopteryx serripennis, 112
Stellula calliope, 127–130
Stephens, Daniel A., see Dumroese, R. K.
Stercorarius parasiticus, 56, 58
pomarinus, 50, 56
Sterna anaethetus, 13, 25
caspia, 103, 108
fuscata, 14, 26
lunata, 25
paradisaea, 59
Stevens, Lawrence E., see LaRue, C. T.
Stint, Little, 36
Red-necked, 14, 35–36
Storm-Petrel, Black, 50, 52, 64
Leach's, 50, 52, 64
Least, 50, 52
Wedge-rumped, 44
Strix occidentalis, 83–87
Sturnella neglecta, 71, 74
Sturnus vulgaris, 71, 73, 113–114
Sturts, Shirley Horning, see Dumroese, R. K.
Sula dactylatra, 17
granti, 17
leucogaster, 17–18, 20, 41, 134, 135
nebouxii, 17, 34, 135
sula, 17–18, 20
Surfbird, 151
Swallow, Northern Rough-winged, 112
Tree, 112
Swan, Trumpeter, 18, 35, 44, 103, 105
Whooper, 14, 18
Sweet, Paul R., George F. Barrowclough, John T. Klicka, Liliana Montañez-Godoy, and Patricia Escalante-Pliego, Recolonization of the flicker and other notes from Isla Guadalupe, Mexico, 71–80
Swift, Black, 50, 218–227

Tachybaptus dominicus, 34, 51, 63
Tachycineta bicolor, 112
Tanager, Flame-colored, 63
Red-headed, 67
Scarlet, 33, 40, 62–63, 67
Summer, 101, 114–115
Western, 63
Tattler, Gray-tailed, 35
Wandering, 50, 56
Teal, Blue-winged, 105
Cinnamon, 105
Tern, Arctic, 59
Black, 189–217
Bridled, 13, 25
Caspian, 103, 108
Gray-backed, 25, 25
Sooty, 14, 26
Thalassarche cauta, 13
Thrasher, Crissal, 101, 113
Sage, 113
Threskiornis aethiopicus, 64
Thrush, Gray-cheeked, 29, 30
Hermit, 113
Swainson's, 71, 73
Wood, 29, 61, 66
Thryothorus ludovicianus, 50, 60
Toxostoma crissale, 101, 103
Tringa melanoleuca, 150, 152, 154
solitaria, 108
Troglodytes aedon, 112–113
troglodytes, 50, 60, 113
Trogon, Eared, 59, 65
Tropicbird, Red-tailed, 34
Turdus rufopalliatus, 61, 66
Turnstone, Black, 149, 151, 152, 153, 154, 155, 157
Ruddy, 151
Tyrannus crassirostris, 28
forficatus, 103, 111
savana, 66
tyrannus, 111
Tyto alba, 71, 72–73

Veery, 14, 29, 38, 66
Vermivora celata, 114
chrysoptera, 32, 61
peregrina, 61, 67, 68
pinus, 32, 38–39, 50, 57, 61, 67
Vireo, Bell's, 60, 101, 112
Blue-headed, 14, 25, 28–29, 37, 50, 66
Cassin's, 25, 28, 112
Hutton's, 103, 112
Philadelphia, 14, 28–29, 38, 60
Red-eyed, 38, 60, 66, 112
Warbling, 29, 173–176
White-eyed, 28, 60, 66
Yellow-green, 29, 38, 60, 66
Yellow-throated, 28, 66
Vireo bellii, 60, 101, 112
cassinii, 25, 28, 112
flavifrons, 28, 66
flavoviridis, 29, 38, 60, 66
gilvus, 29, 173–176
griseus, 28, 60, 66
huttoni, 103, 112
olivaceus, 38, 60, 66, 112
philadelphicus, 14, 28–29, 38, 60
solitarius, 14, 25, 28, 37, 50, 66

Wagtail, Black-backed, 15, 30–32
White, 15, 30–32
Wahl, Terence R., Brandt's Cormorant sinks at sea, 177–178
Warbler, Bay-breasted, 39, 62
Blackburnian, 61, 67
Blackpoll, 39, 62
Black-throated Green, 61, 67
Blue-winged, 32, 38–39, 50, 57, 61, 67
Cape May, 61
Connecticut, 40
Fan-tailed, 50, 62
Golden-winged, 32, 61
Grace's, 32
Kentucky, 62, 67
Magnolia, 61
Mourning, 33, 40, 62, 67
Orange-crowned, 114
Pine, 33, 39, 62
Prairie, 50, 57, 62, 103, 114
Prothonotary, 103, 114
Red-faced, 33
Rufous-capped, 50, 62
Tennessee, 61, 67, 68
Worm-eating, 33, 39–40, 67
Yellow-throated, 32, 62
Waterthrush, Louisiana, 62
Waxwing, Bohemian, 61, 114
Wehtje, Walter, Featured photo: Range expansion of the Great-tailed Grackle in western North America, 141–143
Whimbrel, 150
Whip-poor-will, 65, 110
Wigeon, Eurasian, 68, 105
Willet, 150, 152, 153, 154, 155, 157, 161
Williams, Brian D. C., Low-elevation nesting by Calliope Hummingbirds in the western Sierra Nevada foothills, 127–130
Woodcock, American, 13, 22
Woodpecker, Red-headed, 59
Wood-Pewee, Eastern, 14, 26–27, 37, 50, 59
Western, 26–27
Wren, Cactus, 112
Carolina, 50, 60
House, 112–113
Rock, 73
Winter, 50, 60, 113

Yellowlegs, Greater, 150, 152, 154
Yellowthroat, Common, 40, 114

Zenaida asiatica, 101, 103, 108–109
macroura, 72
Zimmerman, Guthrie S., William S. LaHaye, and R. J. Gutiérrez, Breeding-season home ranges of Spotted Owls in the San Bernardino Mountains, California, 83–87
Zonotrichia albicollis, 115–116
atricapilla, 116